Flat.C Frame

CONTENITORI ZONA GIORNO

2026

Antonio Citterio

Description

Technical information

External frame
painted or veneered MDF wood fibre panel covered in PVC
Internal frame
MDF ennobled or veneered MDF wood fibre panel
Hinged door and drawer front
MDF wood fibre panel with smooth or veneered polyester base
Flap door
veneered MDF wood fibre honeycomb panel
Drawer interior
metal sides, bottom base and back in MDF wood fibre panel, fully extractable guides with soft closing
Internal shelf and extractable tray
MDF wood fibre panel or veneered wood particles panel
Flap door compartment internal frame
MDF wood fibre panel covered with PMMA polymethacrylate material with mirror effect
Flap door compartment shelf
toughened glass
Base-frame
welded drawn steel frame
LED lighting system
Strip LED 24V DC 3000K
Power supply unit
input voltage 110V-120V/220V-240V 50Hz, output voltage 24V DC
Dimmable remote control
operating voltage 24V DC

Technical drawings

CF98B_11



CF98B_14



CF123B_11



CF123B_14



CF198B_11



CF123RCC_14



CF148RCC_14



CF198B_6



CF198B_9



CF244B_6



CF244B_9



CF198BCC_6S



CF198BCC_6D



CF198BCC_9S



CF198BCC_9D



CF244BCC_6S



CF244BCC_6D



CF244BCC_9S



CF244BCC_9D



CF198CC_6



CF198CC_9



CF244CC_6



CF244CC_9