Backstage - Backstage '18

NIGHT STORAGE UNITS

2013

Antonio Citterio

Description

An innovative wardrobe system with a sophisticated personality, Backstage stands out for the use of precious materials, exclusive finishes details, and the wide range of versions available. The door opening system, inspired by contemporary architecture, offers a revolutionary solution: the innovative mechanism developed by B&B Italia opens the full height doors with simultaneous rotation and translation (roto-translation) that ensures reduced bulk and better accessibility to internal compartments. Backstage also proposes an exclusive choice of accessories and fittings that underscore expert craftsmanship and the quality and purity of materials. Highly aesthetic and functional, the boiserie effect of the surfaces allows Backstage to adapt to various spaces, and not only into the bedroom.

Technical information

Side, top, back structure, wardrobe base and internal boiserie panel of the walk-in wardrobe
melamine faced panel in refined wood particles
Skirting frame structure
metal profiles
Swinging-sliding door/Pocket door
honeycomb panel with double tensioner doors inserted inside the frame
Hinged door, closing panel, finish side, boiserie pane
panel in wood particles
Upright
extruded aluminium
Opening mechanism and profiles
extruded aluminium and steel
Shelf
panel in refined wood particles, melamine-faced, lacquered or covered in bonded leather
Drawer structure
panel in wood particles, lacquered wood fibre panel, drawers mounted on total extraction runners with shock absorbers, trinket tray top with insert in bonded leather
Drawer handle
aluminium with insert in bonded leather
Walk-in wardrobe container structure
panel in wood particles
Walk-in wardrobe container hinged door
panel in refined wood particles, lacquered or covered in bonded leather
Clothes rail
extruded aluminium with supports in die-cast Zamak
Hanger holder
shell in plastic and hook in metal
Grid for shirts
panel in wood particles
Internal drawer spacers
bonded leather
Structure with extractable tray
top in tempered smoky glass, HPL stratified laminate panel with aluminium drawer with melamine bottom
Internal divider extractable tray/Accessorised tray
solid wood covered in bonded leather
Internal tray for drawers
multi-layered wood covered in bonded leather
Belt holder
HPL stratified laminate covered in bonded leather and hooks in aluminium
Trinket tray
HPL stratified laminate and wood fibre panel covered in bonded leather
Jewellery box
solid wood and wood fibre panel with ring compartment in bonded leather
Adjustable mirror
extruded aluminium with wood particle panel melamine and natural mirror with safety film
Fixed mirror
extruded aluminium and natural mirror with safety film
Various accessories
beech
LED lighting system
Strip LED 24V DC 4000K
EU/US power supply unit
input voltage 110V-120V/220V-240V 50Hz, output voltage 24V DC, maximum wattage 60W/120W
Proximity sensor switch radio-controlled from a central unit
voltage 24V 50HZ

Technical drawings










610 mm
24"
1900 mm
74 3/4"
750 mm
29 1/2"
750 mm
29 1/2"
1900 mm
74 3/4"
610 mm
24"
2268 - 2428 - 2588 mm
85 7/8" - 95 5/8" - 102"
975 mm
38 3/8"
1200 mm
47 1/4"
975 mm
38 3/8"
1700 mm
66 7/8"


545 mm
21 1/2"
1650 mm
65"
350 mm
13 3/4"
1650 mm
65"
545 mm
21 1/2"
2268 - 2428 - 2588 mm
85 7/8" - 95 5/8" - 102"
1200 mm
47 1/4"
950 mm
37 3/8"
1700 mm
66 7/8"


785 mm
30 7/8"
953 mm
37 5/8"
785 mm
30 7/8"
2268 - 2428 - 2588 mm
85 7/8" - 95 5/8" - 102"
1200 mm
47 1/4"
975 mm
38 3/8"
1450 mm
57 1/8"